

Dendrobium cumulatum (Orchidaceae). An addition to the orchid flora of Manipur, India^a

Hidangmayum Bishwajit Sharma^{1,2}, Abbyredy Nageswara Rao¹ & Debjyoti Bhattacharyya^{2*}

Keywords/mots-clés : *Dendrobium cumulatum*, flora/flore, India/Inde, Manipur, new record/nouvel enregistrement, orchids/orchidées.

Abstract

Dendrobium cumulatum Lindley (Orchidaceae) is reported as a new distributional record to Manipur state, India. A detailed description of the species along with a photographic plate is provided here to facilitate easy identification.

Résumé

Dendrobium cumulatum (Orchidaceae) : addition à la flore de Manipur (Inde) – La présence de *Dendrobium cumulatum* Lindley dans l'État de Manipur, Inde, est enregistrée pour la première fois. Afin de faciliter son identification ultérieure, une description détaillée de l'espèce est proposée, accompagnée d'une planche photographique.

Introduction

The genus *Dendrobium* O.Swartz has hitherto been represented in Manipur by 56 species (Kumar & Kumar, 2005; Rao, 2007; Chowdhery, 2009; Nanda *et al.*, 2012; 2013; 2014; Kishor *et al.*, 2013). During one of the orchid surveys carried out in the Kwatha area of the Chandel District of Manipur (India) in May 2014, some plants of *Dendrobium* in vegetative condition have been collected and brought under cultivation in the orchidarium of Centre for Orchid Gene Conservation of Eastern Himalayan Region (COGCEHR) at Hengbung, Senapati District, Manipur where they flowered in the next

^a : manuscrit reçu le 17 août 2015, accepté le 12 décembre 2015 2015

article mis en ligne sur www.richardiana.com le 15/12/2015 – pp. 60-64 - © Tropicalia
ISSN 1626-3596 (imp.) - 2262-9017 (élect.)

month of July. A comparison of the flowers with the pertinent literature (Seidenfaden, 1985; Chowdhery, 1998; Pearce & Cribb, 2002; Wood, 2006; Lucksom, 2007) allowed us to identify the species as *Dendrobium cumulatum* Lindley (Orchidaceae), an entity hitherto unknown from Manipur. Hence, the present report of its occurrence in Manipur constitutes a new distributional record for this state. A detailed description of the species along with colour photographs is provided.

***Dendrobium cumulatum* Lindley**

The Gardeners' Chronicle 1855: 756 (1855)

Callista cumulata (Lindley) C.Kuntze, *Revisio Generum Plantarum* 2: 654 (1891)

Eurycaulis cumulatus (Lindley) M.A.Clements, *Telopea* 10(1): 286 (2003)

Type: *s.loc., s.d., Warner, C.B. s.n.* [Type: K (K000364679), digital image!].

Dendrobium eoum H.Ridley, *Journal of the Linnean Society, Botany* 32: 261 (1896)

Pedilonum eoum (H.Ridley) S.Rauschert, *Feddes Repertorium* 94: 459 (1983)

Type: Thailand, Peninsular Thailand, Phangnga, Kopah, *s.d., C. Curtis, s.n.* [holotype: SING (SING0049770), digital image!]

Epiphyte; roots up to 10 cm long and *ca* 2 mm thick, verrucose; pseudobulbs 16-30 × 0.2-0.7 cm, erect, clavate, 7-8 ridged, covered by leaf sheaths at nodes; leaves 7-10 per pseudobulb, alternate, oblong-lanceolate to elliptic, 7-9 × 1.5-2 cm, sheathed at base, acute at apex; sheaths 1.5-2 cm long; inflorescence corymbiform, 3-6 flowered, 1.5-2 cm long, lateral from nodes, borne on a leafless pseudobulb; peduncle terete, 0.5-1 cm long, glabrous; rachis 0.5-1.2 cm long, glabrous; floral bract lanceolate, *ca* 2 × 1 mm, acute, pinkish; flowers 3.5-4 cm (measured from the tip of the dorsal sepal to the apex of the lip), 2.5-3 cm across (between two lateral sepal tips), white to pale purple, fragrant; dorsal sepal elliptic-oblong, 1-1.3 × 0.5-0.7 cm, sub-acute at apex, glabrous; lateral sepals elliptic, 2-2.5 × 0.5-0.7 cm, sub-acute at apex, falcate, adnate at base to column foot, forming a conical, *ca.* 1.5 cm long mentum; petals obovate, 1.2-1.5 × 0.5-0.8 cm, obtuse at base, slightly fimbriate at margin; lip spatulate, 2.5-2.8 × 1-1.2 cm, long clawed towards base, emarginated and erose at apex, geniculate at insertion with mentum; column *ca.* 5 mm long, white, winged at apex with erose margin; foot 1.5 mm long, broader and canaliculate towards apex; anther cap *ca.* 2.2 × 3 mm, white; pollinia 4 in two pairs,




Fig. 1: *Dendrobium cumulatum* Lindley

A. habit, B. flower in front view, C. lateral view of a flower, D. floral bract, E. dorsal sepal, F. lateral sepals, G. petals, H. lip, I. column with foot, front view, J. pedicellate ovary with column foot, K. anther cap, L. pollinia. (Ph. by H. Bishwajit Sharma)

clavate, ca 1.5 mm long, pale yellow; pollen tetrad decussate; ovary pedicellate terete or obscurely ribbed, 1-1.6 cm long, glabrous; fruits not known. Fig. 1.

Specimen examined: India, Manipur, Chandel District, Kwatha village (24°18.9'N and 94°16.6'E, 409 m) 24th May 2014, H. Bishwajit Sharma 0062 (COGCEHR herbarium, Hengbung, Manipur).

Distribution: India: Andaman & Nicobar Islands, Arunachal Pradesh, Assam, Manipur (present report), Sikkim, West Bengal; Borneo, Bhutan, Cambodia, Laos, Myanmar, Nepal, Sri Lanka, Thailand, Vietnam.

Flowering: July-August.

Habitat: the species grows epiphytically on moss covered tree branches in subtropical mixed pine forest in association with other orchid species and ferns.

Acknowledgements

The Authors are indebted to Mr. H.Kipgen, President (FEEDS & KVK, Hengbung) for facilities and encouragement and to the SERB division of the Department of Science and Technology, Government of India, New Delhi for financial support. First and third authors are thankful to the Head, Department of Life Science & Bioinformatics, Assam University, Silchar for facilities.

References

- Chowdhery, H.J., 1998. *Orchid Flora of Arunachal Pradesh*: 278-327. Bishen Singh Mahendra Pal Singh, Dehra Dun, India.
- Chowdhery, H.J., 2009. Orchid diversity in Northeastern States of India. *The Journal of the Orchid Society of India* 23 (1-2): 19-42.
- Kishor, R.K., Y.Nanda, H.B.Sharma, T.Jennifer & S.P.Vij, 2013. *Dendrobium tamenglongense* sp. nov. (Orchidaceae) from Manipur, India. *Nordic Journal of Botany* 32(2): 150-153.
- Kumar, C.S. & P.C.S.Kumar, 2005. An Orchid Digest of Manipur, North Eastern India. *Rheedeia* 15(1): 1-70.
- Lucksom, S.Z., 2007. *The Orchids of Sikkim and North East Himalaya*: 607-680. Gangtok, Sikkim, India.

- Nanda, Y., H.B.Sharma, R.K.Kishor, A.N.Rao & S.P.Vij, 2012. *Dendrobium bicameratum* Lindley (Orchidaceae) - an addition to the flora of Manipur, India. *Pleione* 6(2): 450-452.
- Nanda, Y., K.Chowlu, H.B.Sharma, A.N.Rao & S.P.Vij, 2013. Four new records of *Dendrobium* Sw. (Orchidaceae) to Manipur (India). *Nelumbo* 55: 1-7.
- Nanda, Y., K.Chowlu, A.N.Rao & S.P.Vij, 2014. *Dendrobium sinuminutiflorum* S.C. Chen, J.J. Wood & H.P. Wood (Orchidaceae) - a new record for India from Manipur. *Pleione* 8(1): 167-170.
- Pearce, N. & P.Cribb, 2002. *The Orchids of Bhutan*: 400-427. Royal Botanic Garden Edinburg, Edinburg and Royal Government of Bhutan.
- Rao, A.N., 2007. Orchid Flora of North East India – An Upto Date Analysis. *Bulletin of Arunachal Forest Research* 23(1 & 2):6-38.
- Seidenfaden, G., 1985. Orchid Genera in Thailand 12: *Dendrobium* Sw. *Opera Botanica* 83:1 – 195.
- Wood, H.P., 2006. *The Dendrobiums*. A. R. G. Ganter Verlag, Ruggell/Liechtenstein.

1: Centre for Orchid Gene Conservation of Eastern Himalayan Region, KVK – Sylvan Campus, Hengbung 795 129, Manipur, India.

2: Department of Life Science & Bioinformatics, Assam University, Silchar 788 011, Assam, India.

*Corresponding author: dbhattacharyya_aus@yahoo.in